Certification Summary Information (CSI) EPA/CARB Application Acceptance Date:

CSI.1 General Inform	mation	ı (Mode	d Year: 20	006)							
US Manufacturer/ US Im	porter:			Parent Company Name, if applicable:					Small N	Small MFR Recognition:		
Polaris Industries Inc.				CARB MFR Code, if any:					CADD.	CARR DEVIA		
Engine Family Name: ABT Engine Family:				Application Type:					EPA:	- CARB: □SVM EPA: □SVM □ USVM		
6POLX.6834CA		EPA Only	y nly □ Both	☐ New ☐ Correction ☐ Running Change						Certify by Design: Yes No		
Evaporative/ Permeation				POLX.68340		If your	are not the C	NEM of the vehicle or				
Evaporative/ Fermeation	Sales Areas (of all vehicles in the engine family):						If your are not the OEM of the vehicle or engine to be certified, please indicate:					
	∑ 50 States						engine to be certifical, prease marcate.					
Vehicle/Engine Category	49 States + California					Name of	Name of Vehicle OEM: Polaris					
☐ HMC ☐ OFMC ☐ ATV.B		tates + Cal tates + 49 l				Nama	Country: USA Name of Engine OEM: Polaris					
UTV ENG		ARB.NC		_	tates + 49 l		alifornia		Name	Country: USA		
Applicant Comment			sed certific	ation pe	er 40 CF	R 1051.	145, direct	to stan	dard – no A	ABT/FEL. I	Data carryover	
from CARB MY05											,	
					<u>v</u>			8				
CSI.2: EPA/CARB E	miccio	n Stanc	larde and (Cartific	ation I a	volc	(CAE	R HM	C Farly Co	mpliance M	(ultiplier:	
CS1.2. EI A/CARD E	11115510	ii Stant	iai us aiiu v	Cei unic	I Le	VCIS	(CAI	ID IIIVIV		ation HC	Vehicle Evaporative	
		EPA Exh	aust Emission	ns	C	ARB Exh	aust Emissior	ıs		ssions	Emissions	
	(u	ınits: 🗌 g	/km; ⊠g/kw				m; ⊠g/bhp-l	hr)		g/m²/day)	(Unit: g/test) (HMC CARB-only)	
		1	T	T		1			(EPA only)			
Air Pollutant	нс	NOx	HC+NOx	CO	НС	NOx	HC+NOx	СО	Fuel Tank	Fuel Hoses	Diurnal + Hot Soak	
Certification Level			8.2	248			6.1	185				
Emission Standard			13.4	400			10.0	300				
Family Emission Limit												
CSI.3 Engine Family	Desci	ription										
Fuel System (see CSI.4) carburetor							Number of C	•		ves per Cylind	er: 2	
carburetor							Fuel Type:	☐ Gasolir	ne LPG		ther:	
Engine Type: Recipro	cating	_ Rotary	√ ☐ Turbine	Other	r:		Engine Cool	ing Media	a: 🗌 Air 🗵	Liquid 🗌 Ot	ther:	
Combustion Cycle: 2 4-	Stroke [2-Stro	ke 🗌 Other:				Exhaust Use		vears): 5 nours): 1,000			
Cylinder Arrangement:	⊠ Inlin	e 🗌 Vee	☐ Flat ☐ O	Other: Exhaust Useful Life (dista								
New Technology: ⊠ No	Yes	, technolo	ogy explanation	on:		_						
CSI.4: Exhaust Emis							nology abb	reviatio	ns)			
Catalytic Converter:	No		Number of catalyst Con		` <u>-</u>	<u>^</u>	1 (D) -	Series (S	0	□ P+S		
			Catalyst Con	0		Paralle □ Oxidat	` _		,	□ r+s	-TWC	
Catalyst Type: ☐ Oxidation (OC) ☐ Three-way (TWC) ☐ OC+TWC Exhaust Gas Recirculation (EGR): ☐ No ☐ Yes: EGR Type:												
Electronic Controls:	ECM [] ICM	Other:									
Feedback Sensor: No Yes: Number of oxygen sensor (s):												
			Sensor Confi			_ Paralle		Series (S	5)	□ P+S		
Air Injection:	DATE F		Sensor Type:	:		O2S		HO2s		AFS		
Air Injection:												
	☐ Carburetor ☐ Gaseous Carburetor ☐ Carburetor: Number of Carburetors: 1 Barrels per Carburetor: 1											
Method of Air Aspiration	n: [⊠ Natura	ı□sc □	TC [SAA [TAA	SAW	TAW	Other			

Certification Summary Information (CSI – continue)

CSI.5: Exhaust Emission Data Vehicle/Engine and Test Data

EDV ID (or VIN):		Displacement (cc): 683 N/V Ratio:					EIM (kg):						
EDV Type: New Carryover, from EF: 5POLX.6834CA Model Name: EH0680LE018				. /	,	Configuration: 001			Tire Pressure:				
				Power @ rpm: @ 6000									
			Transmission: CVT			Curb Mass:			Road Load Horsepower:				
Assigned DF:	⊠ N/A □ EP	1 🗌 AR	RB SVM ☐ 50-State SVM			Chassi	Chassis 🗵 Engine (J1088) 🗌 Other:						
Test Date (MM/DD/YY)	Test E Test "E" - F Number "A" - A		EPA ARB	EPA "C"-Cert		el lene, Phase 2	Tested at ⊠ km	(Note	Raw Emission Test Results (Note: Unit should be the same as the emission standards for the EF)				
		"M"-	MFR	"O"-Other	1 011	1 11030 2	☐ hr	HC	NOx	HC + NOx	CO	CO_2	
3/6/03	1	M		0	I		0	3.2	3.3	6.5	127.5		
3/17/03	2	M		О	I		2500	2.4	3.7	6.1	113.3		
3/26/03	3	M		О		I	5000	3.5	3.5	7.0	108.0		
4/8/03	4	M		0		I	7500	2.4	3.8	6.2	102.3		
4/17/03	5	M		О		I	10000	2.4		6.8	94.0		
6/19/03	1	M		С		I	0	2.3	3.3	5.6	185.1		
										1.0.10	1.00		
For EPA Certifi		EPA	A Deterioration Factor (☐ Additive ☐ Multiplicative)							1.049	1.00		
(50 States and 4	9 State)		EPA Certification level							8.2	248		
For ARB Certi			CARB Deterioration Factor (Multiplicative Only)							1.049	1.00		
(50 State or CA only)					(CARB Cer			6.1	185			
DDV Information, if different that EDV: DDV SN 00012, EDV SN 00025. DDV and EDV from same tooling. EDV is final calibration.													
Manufacturer Comments: Pollutants measurements displayed in g/hp-hr, except for EPA certification levels, which are shown in g/kW-hr. Engine-based testing equivalency to useful life in kilometers defined by CARB-approved DF test procedure; reference CRC-2002-002.													
CSI.6A: Permeation Emissions Control/Test Data (Optional until 2008 MY) Certify by Emission Testing													

C51.0A. 1 cf meation Emissions Control Test Data (Optional until 2000 111)										
Certify by Emission Testing										
Equipment	Material Thickness (mm)		Total Inside Area (m²)	Test Data (g/m²/day) Evap/Perm Test Carryover, from: MY: EF:	DF (g/m²/day) New EPA DF for SVM Carryover, from: MY: EF:	Certification Level (g/m²/day)				
Fuel Tank										
Fuel line										
Certify-by-Design										
Fuel Tank Fuel tank permeability control technology applied is 40 CFR §1051.245, Table 1, control technology [] (i) [] Other:										
Fuel line Fuel lines permeability control technology applied is 40 CFR §1051.245, Table 2, control technology: ☐ (i) ☐ (ii) ☐ Other:										
Manufacturer Comments:										

CSI.6B: Evaporative Emissions Control/Test Data (Highway Motorcycle – CARB-only)

	Vehicle Evaporative Emissions Information										
Evaporativ	ve Emission Test	Vehicle Inforn	nation	Evaporative Testing Result			Evaporative Deterioration Factors			Certification	
Evaporative Family	- lest Date			(1 Diurnal	aw data : g Hot Soak	z/test) Diurnal + Hot Soak	Vehicle DF	(Additive Bench DF	Factors) Overall DF: (vehicle + bench)/2	LEVEL (g/test) ={(Diurnal+Hot Soak) + Overall DF}	
					_						
Manufacturer	Manufacturer Notes:										

 $^{* \} Test \ Type: \ evaporative \ emission \ data \ vehicle \ (EDV), or \ vehicle \ DF \ emission \ data \ vehicle \ (VDV) \ or \ bench \ emission \ DF \ data \ vehicle \ (BDF)$

Certification Summary Information (CSI – continue)

CSI.7: Models Covered

CS1./: Wlodels Covered	<u> </u>									
	Vehicle/Engine Models Covered									
Make (Marketing Division)	Polaris	Polaris								
Model Name	Sportsman 700	Sportsman MV								
Engine Code	EH0680LE018	EH0680LE017								
Vehicle Category	ATV	ATV								
Bore (mm)	80	80								
Displacement ☐ Liter ☐ cm³	683	683								
Rated Power (kW)	32	32								
RPM @ Rated Power	6000	6000								
Rated Torque (nt-m)	54	54								
RPM @ Rated Torque	5000	5000								
Un-governed Rated Speed (rpm)	6000	6000								
Curb Mass (kg)	347	450								
Transmission (M5, A3, etc.)	AV	AV								
Label Type ¹	2	2								
Emission Control System (model / rating specific)	EM	EM								
Projected Sales (CBI) CA Only	200	100								
Projected Sales (CBI) US Total (Includes CA Sales)	20,000	10,000								
CARB ONLY:	California A	TV Specification	n (Category AT	V.A) (Use Yes o	r No to answer.)					
Vehicle Characteristics	Sportsman 700	Sportsman MV								
50 " or Less in Width?	Yes	Yes								
4 Low Pressure Tires?	Yes	Yes								
Seat Straddled by Operator?	Yes	Yes								
Without Passenger Seating?	Yes	Yes								
Handlebar?	Yes	Yes								
Max Payload 350 lbs?	Yes	No								
(CARB Staff Only)	(CARB Staff Only)									
California ATV? (Y / N)										
Staff Notes										

¹ Specify, use: "1" for California sales with California label; "2" for 50-state sales with 50-state label; "3" for 49-state sales with 49-state label; or "4" for California and 49-state sales with California and 49-state labels or with California and 50-state label Revision (2-3-05)